




- NOTES
- 1) INTERIOR DIMENSIONS ARE TAKEN TO STUD LINE, EXTERIOR DIMENSIONS ARE TAKEN TO OUTSIDE OF FOUNDATION OR SHEATHING.
 - 2) INTERIOR ROOM SIZES ARE APPROXIMATE FINISHED DIMENSIONS. FRAMING LUMBER TO BE MINIMUM NO. 2 SPRUCE-PINE-FIR, OR BETTER.
 - 3) MINIMUM WOOD HEADER SIZES SHALL BE AS FOLLOWS:
 INTERIOR - 2-2"x4" FOR SPANS FROM 0' TO 4'
 2-2"x6" FOR SPANS FROM 4' TO 6'
 GREATER SPANS AS NOTED ON PLAN.
 EXTERIOR - 2-2"x6" FOR SPANS FROM 0' TO 4'
 2-2"x8" FOR SPANS FROM 4' TO 7'
 GREATER SPANS AS NOTED ON PLAN.

Rick

ADDITION TO FELLERS RESIDENCE		
NAPOLEON, OHIO		
SCALE:	APPROVED BY:	DRAWN BY: RJD
DATE: APRIL, 1994		REVISED:
ROOF PLAN & ELEVATIONS		
165 Westwood		DRAWING NUMBER: 1 OF 1




SOUTH ELEVATION



WEST ELEVATION



NORTH ELEVATION



EAST ELEVATION

