

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
255 West River/ew Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01283 Issued 11-24-86
date

Job Location 1036 Woodlawn
address

Lot 56 Mary Dodds Sec. Add.
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Gary Gessner
name

Address 1036 Woodlawn
tel.

Agent Hamler Lumber Co. 274-3541
builder-eng.-etc. tel.

Address 625 Belton St. - Hamler, Ohio

Description of Use Residence

Residential 1 no. dwelling units

Commercial Industrial

New Add'n. X Alter Remodel

Mixed Occupancy

Change of Occupancy

Estimated Cost \$ 17,800.00

	FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING		3.00	33.00	36.00
<input type="checkbox"/> ELECTRICAL				
<input type="checkbox"/> PLUMBING				
<input type="checkbox"/> MECHANICAL				
<input type="checkbox"/> DEMOLITION				
<input type="checkbox"/> ZONING				
<input type="checkbox"/> SIGN				
WATER TAP				
SEWER TAP				
TEMP. ELECT.				
ADDITIONAL PLAN REVIEW	Struct.		hrs	
	Elect.		hrs	
TOTAL FEES.....				36.00
LESS MIN. FEES PAID				
BALANCE DUE.....				

ZONING INFORMATION

district	lot dimensions	area	front yd	side yds	rear yd
A	66 x 103.6 W.-130 E.	7709 S.F.	30' min.	7' min.	15' min.
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr
35'	2- min.		35%		

WORK INFORMATION:

Size: Length 18'6" Width 28' Stories 2 Ground Floor Area 518
 Height 22' Building Volume (for demo. permit) cu. ft.

Electrical: Apply for seperately
 Plumbing: Apply for seperately
 Mechanical: Apply for seperately

Sign: N.A. Dimensions Sign Area
 type

Additional Information: Two story addition connecting the existing house and garage making the present garage attached.

Date 11/28/86 Applicant Signature Hamler Lbr. Co. Arnold owner-agent
DEC 4 1986 CITY OF NAPOLEON

INSPECTION RECORD

UNDERGROUND			ROUGH-IN				FINAL		
Type	Date	By	Type	Date	By	Type	Date	By	
PLUMBING	Building Drains		Drainage, Waste & Vent Piping			Drainage, Waste & Vent Piping			
	Water Piping					Backflow Prevention			
	Building Sewer		Water Piping			Water Heater			
	Sewer Connection					FINAL APPROVAL			
MECHANICAL	Refrigerant Piping		Refrigerant Piping			Chimney(s)			
			Duct Furnace(s)			Fire Dampers			
	Ducts/Plenums		Ducts/Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)			
			Duct Insulation			Pool Heater			
ELECTRICAL			Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			
	Conduits & Cable		Conduits/Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			
	Grounding & Bonding		Rough Wiring			<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors			
	Floor Ducts Raceways		Service Panel Switchboard			<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder			
	Service Conduit		Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable			
	Temporary Power Pole		Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)			
	Location, Set-backs, Esmt(s)	12/10	FH	Exterior Wall Construction	12/29	FH	Roof Covering Roof Drainage		FH
	Excavation						Exterior Lath		
	Footings & Reinforcing	12/10	FH				<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard		
	Floor Slab			Interior Wall Construction			Fire Wall(s)		
BUILDING	Foundation Walls	12/10	FH	Columns & Supports		Fireplace Chimney			
	Sub-soil Drain			Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access		Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access			
	Piles			Floor System(s)		Special Insp Reports Rec'd			
				Roof System			FINAL APPROVAL BLDG. DEPT. Certificate of Occupancy issued		FH
ADDITIONAL	INSPECTIONS, CORRECTIONS, ETC.			INSPECTIONS, CORRECTIONS, ETC.					

DEC 10 2010

MAY 26 2011

FIELD CORRECTION NOTICE

LOCATION 1036 WOODCRAWN

PERMIT NO. 81283

ISSUED TO HAMLER LUMBER CO. 225 BULTON ST HAMLER

PERMIT HOLDER AND/OR ALL RESPONSIBLE PARTIES.

NOTICE DELIVERED TO HAMLER LUMBER CO. 22

Upon inspection, violations of the C.A.B.O. CODE

Sec R-303

were in evidence.

The following orders are hereby issued for their correction:

PROVIDE 1/2" ANCHOR BOLT

18" LONG EXTENDING A MIN. OF 15" INTO

MASONRY 1'-1'-0" EACH WAY FROM EACH

CORNER AND 6'-0" AC

②

THE FOOTING DEPTH ON THE WEST SIDE APPEARS

TO BE 24". 32" MIN. IS REQUIRED ALONG THE

EXTERIOR GRADE ON THE WEST SIDE TO OBTAIN

AS CLOSE TO 32" AS POSSIBLE

PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED

ON OR BEFORE ITEM D BEFORE PROCEEDING ITEM B BEFORE COMPLETION

DATE 12-10-86



BY ELLON HUDER

INSPECTOR

PINK - ORIGINAL COPY

WHITE - FIELD COPY

YELLOW - FILE COPY



ATTACH TO THE WHITE
COPY OF THE PERMIT

PLAN REVIEW COMMENTS
FOR

A PROPOSED 2-STORY ADDITION
TO THE RESIDENCE LOCATED
AT 1036 WOODLAWN-NAPOLEON, OHIO
OWNED BY GARY GESSNER
11-24-86

ITEM NO. 1

If the existing front door to the residence is not 3' wide, provide 3' x 6'8" exit doors from the addition.

ITEM NO. 2

Stairway - Minimum width 3'
Minimum headroom 6'8"
Minimum rise 8 $\frac{1}{4}$ "
Minimum tread 9"

Railing - Minimum height 30"
Maximum height 34"

Guardrail - Minimum height 36"

Maximum guardrail opening 6" diameter.

ITEM NO. 3 *UP STAIRS 7'-6" DOWN STAIRS 7'-6"*

As per Section R-206, the minimum ceiling height for a habitable room is 7'6". The 2nd floor ceiling height listed on the Section as 7'. Will not meet the code.

ITEM NO. 4

Provide joist hangers or ledger plates to support joists which frame into the side of girders.

ITEM NO. 5

Cover the inside of the exterior walls with $\frac{1}{2}$ " minimum thickness drywall to separate the styrofoam sheathing from the interior of the building.

ITEM NO. 6

Provide solid wood blocking between floor and ceiling joists over bearing walls or girders and bridging at 10' intervals.

ITEM NO. 7

The beam supporting the 2nd floor ceiling and roof as per my calculation is not capable of supporting the load.

Loads supported by the proposed beam.

Ceiling - 18' span x 12'3" x 20# P.S.F. - 4,410 lbs.
Roof - 18' span x 21' x 30# P.S.F. - 11,340 lbs.
Total load 15,750 lbs.

I can see two possible solutions to the problem.

Increase the size of the rafter's to 2 x 8's @ 16" O.C. This would relieve the beam from carrying any roof load. Or - Increase the size of the beam and provide design criteria for the beam checking it for moment, shear and deflection. This should be stamped by an engineer.

① Other solutions would be to use a laminated wood or steel beam or provide trusses.

Note: These were the only major items that I was able to detect from your drawings. I will need to know how you want to handle Item No. 3 and Item No. 7 before I finish processing the permit.

① LOADS T.C. LIVR 20
DEAD 10
D.C. LIVR 10
DEAD 10
2074' 50

Arnold Decker

11/28/86

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON
255 West Riverview Ave.
Napoleon, Ohio 43545
419-592-4010

ADDENDUM TO Permit No. 01283
Owner GARY GESNER
Contractor HAMLER DWARRE CO.
Location 1676 WOODLAND

Please note the items checked below and incorporate them into your plans as indicated: PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

GENERAL		
<input checked="" type="checkbox"/>	Provide approved smoke detector(s) as req'd.	
<input checked="" type="checkbox"/>	Provide 1/2" gypsum wallboard between dwelling and garage, on garage side.	
<input checked="" type="checkbox"/>	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)	
	Submit fully dimensioned plot plan.	
	Provide min. of 1-3'0" x 6'8" exit door.	
<input checked="" type="checkbox"/>	Provide min. 22" x 30" attic access opening.	
<input checked="" type="checkbox"/>	Provide min. 18" x 24" crawl space access opening.	
	Provide approved sheathing or flashing behind masonry veneer.	
	Provide min. 15# underlayment on roof.	
	Provide adequate fireplace hearth.	
	Install factory built fireplaces/stoves according to manufacturers instructions.	
	Terminate chimney 2' above roof or 2' above highest point of building within 10' of chimney.	
	LIGHT AND VENTILATION	
	Provide mechanical exhaust or window in bathroom	
	Provide min. <u>217</u> Sq. In. net free area attic ventilation.	
<input checked="" type="checkbox"/>	Provide min. <u>192</u> Sq. In. net free area crawl space ventilation.	
	FOUNDATION	
<input checked="" type="checkbox"/>	Min. depth of foundation below finished grade is 32".	
<input checked="" type="checkbox"/>	Min. size of footer " x "	
<input checked="" type="checkbox"/>	Provide anchor bolts 1/2" @ 6' o.c. 1' from each corner. Embedded 7" in concrete and 15" in masonry.	
	Show size of basement columns.	
	FRAMING	
	Show size of wood girder in	
	Provide design data for structural member in	
	Floor joists undersized in	
	Provide double joists under parallel bearing partitions.	
<input checked="" type="checkbox"/>	Provide 1" x 4" let in corner bracing, approved sheathing, or equal.	
	Show size of headers for openings over 4' wide	
	Show size of members supporting porch roof.	
<input checked="" type="checkbox"/>	Provide double top plate for all bearing partitions and exterior walls.	
	Provide design data for prefab wood truss.	
	Ceiling joists undersized in	
	Roof rafters undersized in	
	PLUMBING AND MECHANICAL	
<input checked="" type="checkbox"/>	Terminate all exhaust systems to outside air.	
<input checked="" type="checkbox"/>	Insulate ducts in unheated areas.	
<input checked="" type="checkbox"/>	Provide backflow prevention device on all hose bibs.	
<input checked="" type="checkbox"/>	Terminate pressure and temperature relief valve drain in an approved manner.	
	Provide dishwasher drain with approved air gap device.	
	METAL VENEERS	
	Contact City Utilities Dept. to remove conductors and/or meter.	
<input checked="" type="checkbox"/>	Provide approved system of grounding and bonding.	
	ELECTRICAL	
	Show location of service entrance panel and service equipment panel.	
	G. F. C. I. req'd. on temporary electric.	
<input checked="" type="checkbox"/>	Outdoor, bathroom and garage receptacles shall be protected by G. F. C. I.	
<input checked="" type="checkbox"/>	Maximum number of receptacles permitted on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.	
	Refrigerators, microwaves, washers, disposal, furnace and air conditioners shall be on separate circuits.	
	INSPECTIONS	
	The following indicated inspections are required. The owner or his agent shall contact the City Building Dept. at least 24 hrs prior to the time the inspection is to be made.	
<input checked="" type="checkbox"/>	Footers and Setbacks.	Building sewer.
<input checked="" type="checkbox"/>	Foundation.	<input checked="" type="checkbox"/> HVAC rough-in.
<input checked="" type="checkbox"/>	Plumbing rough-in.	<input checked="" type="checkbox"/> Final Building
<input checked="" type="checkbox"/>	Plumbing final.	other,
	Electrical service.	<input checked="" type="checkbox"/> <u>SOLOID FRAMING</u>
<input checked="" type="checkbox"/>	Electrical rough-in.	
<input checked="" type="checkbox"/>	Electrical final	

Additional Corrections: PROVIDE 1/2" DRYWALL ON THE GARAGE SIDE OF THE EXISTING GARAGE WALL FROM FLOOR TO ROOF AND 1 3/8" SOLID & DOORS ON ALL OPENINGS

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. _____ and made a part thereof. DATE APPROVED OR DISAPPROVED _____ Checked by _____ Plan Examiner.

DATE RECHECKED AND APPROVED _____ Checked by _____




LUMBERMATE COMPANY
SAINT LOUIS, MISSOURI

THIS DESIGN SUGGESTION IS INTENDED FOR USE BY THE BUILDING ARCHITECT AND ENGINEER IN PREPARATION OF THEIR FINAL DESIGNS. NO RESPONSIBILITY IS ASSUMED FOR THE ERECTION, BRACING, AND ASSEMBLY TO THE COMPLETE STRUCTURE. DESIGN BASED ON CRITERIA ESTABLISHED BY THE TRUSS INSTITUTE AND "NDS" BY THE NATIONAL FOREST PRODUCTS ASSOCIATION. CUT MEMBERS TO BEAR, LATERALLY SUPPORT CHORDS, LUMBERMATE TRUSS PLATES OF GALVANIZED STEEL ARE INDICATED BY GAGE AND SIZE. PRESS PLATES SECURELY ON BOTH SIDES OF JOINTS, CENTER PLATES ON JOINTS UNLESS NOTED.

SPICES SHALL BE 1/4 PANEL
± 1'-0" UNLESS NOTED.

THIS IS A STANDARD DESIGN.
SOME PLATE SIZES WILL
PROBABLY NEED TO BE
INCREASED FOR PRACTICAL
PLACEMENT AND/OR TRUSS
HANDLING.
SECOND PLATE DIMENSION TO
BE PARALLEL TO CHORDS
UNLESS NOTED. (*)



Not Approved
12-4-86
FH

*ADD 10 #P.S.F.
BOT CHORD LIVE LOAD*

*26
10
10
10
10
10*

*To L.L. --- 25
To D.C. --- 10
Bot CORD L.L. --- 10
To Top C. L. --- 10
Total CORD L.L. --- 55*



ALTERNATE LUMBER SPANS

TOP CH.	2X4 S&U PINE #2 KD 15	28'-0"
BOT CH.	2X4 S&U PINE #1 KD 15	28'-0"

MAY 20, 1983 ENGR RBL
F-06 14344-22 28'-0" SPAN 143 4/12

LOAD DURATION ADJUSTMENT	15%
TOP CHORD LIVE LOAD	25.0 PSF
TOP CHORD DEAD LOAD	10.0 PSF
BOT CHORD DEAD LOAD	10.0 PSF
BOT CHORD LIVE LOAD	10.0 PSF
TOTAL UNIFORM LOAD	45.0 PSF
TRUSS SPACING	2.00 FT CTRS

REACTION AT 1 = 1234
MIN BRG = 3.50 IN
MEMBER FORCE MEMBER FORCE

1-2	-2820
2-3	-2440
1-7	+2675
7-6	+1774

LM PLATE SERIES:
T 20GA 230 PSI GROSS
K 16GA 200 PSI GROSS

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01284 issued 11-24-86 date

Job Location 1036 Woodlawn address

Lot 56 Mary Dodds Sec. Add. sub-div or legal descri

Issued By Eldon Huber building official

Owner Gary Gessner name 599-2360 tel.

Address 1036 Woodlawn

Agent Nagel's Pl. & Ht'g. 395-1610 tel. builder-eng.-etc.

Address 13922 Fruit Ridge Rd. - Aversville, Ohio

Description of Use Residence

Residential 1 no. dwelling units

Commercial Industrial

New Add'n. X Alter Remodel

Mixed Occupancy

Change of Occupancy

Estimated Cost \$ 3,000.00

	FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING				
<input checked="" type="checkbox"/> ELECTRICAL	5.00	2.00		7.00
<input checked="" type="checkbox"/> PLUMBING	3.00	4.00		7.00
<input checked="" type="checkbox"/> MECHANICAL	6.00			6.00
<input type="checkbox"/> DEMOLITION				
<input type="checkbox"/> ZONING				
<input type="checkbox"/> SIGN				
WATER TAP				
SEWER TAP				
TEMP. ELECT.				
ADDITIONAL PLAN REVIEW	Struct.	hrs		
	Elect.	hrs		
TOTAL FEES.....				20.00
LESS MIN. FEES PAID				
BALANCE DUE.....				

ZONING INFORMATION

district	lot dimensions	area	front yd	side yds	rear yd.
A	66 X 103.6 W.-130 E.	7709 S.F.	30' Min.	7' Min.	15' Min.
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr
35'	2 - min.		35%		

WORK INFORMATION:

Size: Length 18'6" Width 28' Stories 2 Ground Floor Area 518

Height 22' Building Volume (for demo. permit) PAID cu. ft.

Electrical: 2 - additional circuits brief description

Plumbing: 2 - hot air runs from the existing furnace brief description

Mechanical: N.A. Dimensions Sign Area

Additional Information: Two story addition connecting the existing house and garage making the present garage attached.

Date 11-25-86 Applicant Signature X Gary Nagel owner-agent

NOV 25 1986 CITY OF NAPOLEON

INSPECTION RECORD

UNDERGROUND			ROUGH-IN				FINAL	
Type	Date	By	Type	Date	By	Type	Date	By
PLUMBING	Building Drains		Drainage, Waste & Vent Piping	1/20	FH	Indirect Waste		
	Water Piping							
	Building Sewer		Water Piping	1/20	FH	Condensate Lines		
	Sewer Connection							
MECHANICAL	Refrigerant Piping		Refrigerant Piping			Chimney(s)		
			Duct Furnace(s)			Fire Dampers		
	Ducts/Plenums		Ducts/Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)		
			Duct Insulation			Pool Heater		
			Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.		
ELECTRICAL	Conduits & or Cable		Conduits/Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer		
	Grounding & or Bonding		Rough Wiring			<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors		
	Floor Ducts Raceways		Service Panel Switchboard			<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder		
	Service Conduit		Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable		
	Temporary Power Pole		Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)		
BUILDING	Location, Set-backs, Esmt(s)		Exterior Wall Construction			Roof Covering Roof Drainage		
	Excavation					Exterior Lath		
	Footings & Reinforcing					<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard		
	Floor Slab		Interior Wall Construction			Fire Wall(s)		
	Foundation Walls		Columns & Supports			Fireplace Chimney		
	Sub-soil Drain		Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access		
	Piles		Floor System(s)					
			Roof System			Special Insp Reports Rec'd		
ADDITIONAL								

INSPECTIONS, CORRECTIONS, ETC.

INSPECTIONS, CORRECTIONS, ETC.

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

APPROVED BY:

DATE:

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON
 255 West RiverView Avc.
 Napoleon, Ohio 43545
 419/592-4010

ADDENDUM TO Permit No. 01284
 Owner LARRY GLESSNER
 Contractor DRAGLES PL & HTG
 Location 1616 WOOD LAWN

Please note the items checked below and incorporate them into your plans as indicated: PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

	GENERAL	
<input checked="" type="checkbox"/>	Provide approved smoke detector(s) as req'd.	Show size of members supporting porch roof.
	Provide ½" gypsum wallboard between dwelling and garage, on garage side.	Provide double top plate for all bearing partitions and exterior walls.
	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)	Provide design data for prefab wood truss.
	Submit fully dimensioned plot plan.	Ceiling joists undersized in _____
	Provide min. of 1-3'0" x 6'8" exit door.	Roof rafters undersized in _____
	Provide min. 22" x 30" attic access opening.	PLUMBING AND MECHANICAL
	Provide min. 18" x 24" crawl space access opening.	Terminate all exhaust systems to outside air
	Provide approved sheathing or flashing behind masonry veneer.	Insulate ducts in unheated areas.
	Provide min. 15# underlayment on roof.	Provide backflow prevention device on all hose bibs.
	Provide adequate fireplace hearth.	Terminate pressure and temperature relief valve drain in an approved manner.
	Install factory built fireplaces/stoves according to manufacturers instructions.	Provide dishwasher drain with approved air gap device.
	Terminate chimney 2' above roof or 2' above highest point of building within 10' of chimney.	METAL VENEERS
		Contact City Utilities Dept. to remove conductors and/or meter.
	LIGHT AND VENTILATION	Provide approved system of grounding and bonding.
	Provide mechanical exhaust or window in bathroom	ELECTRICAL
	Provide min. _____ Sq. In. net free area attic ventilation.	Show location of service entrance panel and service equipment panel.
	Provide min. _____ Sq. In. net free area crawl space ventilation.	G. F. C. I. req'd. on temporary electric.
	FOUNDATION	Outdoor, bathroom and garage receptacles shall be protected by G. F. C. I.
	Min. depth of foundation below finished grade is 32".	Maximum number of receptacles permitted on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.
	Min. size of footer _____" x _____"	Refrigerators, microwaves, washers, disposal, furnace and air conditioners shall be on separate circuits.
	Provide anchor bolts ¼" @ 6' o.c. 1' from each corner. Embedded 7" in concrete and 15" in masonry.	INSPECTIONS
	Show size of basement columns.	The following indicated inspections are required. The owner or his agent shall contact the City Building Dept. at least 24 hrs. prior to the time the inspection is to be made.
	FRAMING	Footers and Setbacks. _____ Building sewer.
	Show size of wood girder in _____.	Foundation. _____ <input checked="" type="checkbox"/> HVAC rough-in.
	Provide design data for structural member in _____.	Plumbing rough-in. _____ <input checked="" type="checkbox"/> Final Building
	Floor joists undersized in _____.	Plumbing final. _____ other,
	Provide double joists under parallel bearing partitions.	Electrical service. _____
	Provide 1" x 4" let in corner bracing, approved sheathing, or equal.	Electrical rough-in. _____
	Show size of headers for openings over 4' wide _____.	Electrical final _____
	Additional Corrections. _____	

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. 01284 and made a part thereof. DATE APPROVED OR DISAPPROVED 11-29-86 Checked by 54

DATE RECHECKED AND APPROVED _____ Checked by _____
 _____ Plan Examiner.

11

12

13

14

15

FIELD CORRECTION NOTICE

PAGE NO 1

LOCATION 1036 WOODLAWN

PERMIT NO. 01283

ISSUED TO HAMLER LUMBER CO.

PERMIT HOLDER AND/OR ALL RESPONSIBLE PARTIES.

NOTICE DELIVERED TO HAMLER LUMBER CO.

Upon inspection, violations of the

C.A.B.O.

Sec.

_____ were in evidence.

The following orders are hereby issued for their correction:

~~NOTE~~ ITEM NO 1 INSTALC A HARD WIRED SMOKEDETECTOR IN THE SECOND FL. OF THE ADD,~~NOTE~~ ITEM NO 2 TAPE & 1-COAT OF JOINT COMPOUND ONTHE GARAGE SIDE OF THE DRYWALL.FIRE WALL.~~NOTE~~ ITEM NO 3 CLOSE OFF THE BOTYOM OF THE STAIRWAYUNDER THE STRUGERS ABOVE THE STORAGEROOM WITH DRYWALLADD 3/8" DRYWALL
IN CRAWL SPACE

PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED

ON OR BEFORE OCCUPANCY SUBJECT TO PENALTIES AS PER C.A.B.O.& N.A.P. BUILDING CODEDATE 4-8-87BY ELOON HUBER

INSPECTOR

NOTE: COPY GIVEN TO OWNER

PINK - ORIGINAL COPY WHITE - FIELD COPY YELLOW - FILE COPY

FIELD CORRECTION NOTICE

PAGE NO 2

LOCATION 1036 WOODCROWN

PERMIT NO. 01287

ISSUED TO _____

PERMIT HOLDER AND/OR ALL RESPONSIBLE PARTIES.

NOTICE DELIVERED TO _____

Upon inspection, violations of the _____

Sec. _____ were in evidence.

The following orders are hereby issued for their correction:


1. ITEM NO 2

NOT DONE

INSTALL HANDRAIL AT STAIRWAY

NOT DONE

DOWN TO GARAGE, INSTAL



NOT DONE

32"

ADD 3/8\"/>

THIS HANDRAIL ON THE OUTSIDE WALL ABOVE THE STAIR TREADS.

PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED

ON OR BEFORE _____

DATE _____

BY _____

INSPECTOR

PINK - ORIGINAL COPY WHITE - FIELD COPY YELLOW - FILE COPY



CITY OF NAPOLEON
255 W. Riverview
NAPOLEON, OHIO 43545

message

reply

to

HAMLER CUMBER CO.

625 BECTON ST.

HAMLER, OHIO

FOLD

subject REF. PERMIT NO 01283

ENCLOSED FIND THE FIELD
CORRECTION NOTICE FROM MY
FINAL INSPECTION @ 1076 WOODLAWN,

THESE ITEMS SHOULD BE CORRECTED
IMMEDIATELY, CALL FOR FINAL
INSPECTION WHEN YOU HAVE COMPLETED THE WORK,

date 9-9-87 signed E. COON HUBER date _____ signed _____

SENDER: Mail white and pink copies with carbon intact.

RECEIVER: Reply, retain white copy, return pink copy.

THE UNIVERSITY OF MICHIGAN LIBRARY

RECEIVED BY SPECIAL DELIVERY

DATE 4-28-81 NAME ESCOBAR, JAMES

1515 E. STONER AVE ANN ARBOR MI 48106
ANN ARBOR MI 48106
ANN ARBOR MI 48106

ANN ARBOR MI 48106
ANN ARBOR MI 48106
ANN ARBOR MI 48106

ANN ARBOR MI 48106

ANN ARBOR MI 48106
ANN ARBOR MI 48106
ANN ARBOR MI 48106

ANN ARBOR MI 48106
ANN ARBOR MI 48106
ANN ARBOR MI 48106

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

01283 [redacted] Issued _____ date _____

Job Location 1036 WOODLAWN address
 Lot 56 MARY DODD SEC A00 sub-div or legal discript
 Issued By E building official
 Owner GARY GESSNER name tel. _____
 Address 1036 WOODLAWN tel. _____
 Agent HAMLER CUMBER CO. builder-eng.-etc.
 Address 625 KEITON ST
 Description of Use HAMLER, OHIO RESIDENCE

FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING	3.00	33.00	36.00
<input type="checkbox"/> ELECTRICAL			
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			36.00
LESS MIN. FEES PAID _____			
BALANCE DUE.....			

Residential (no. dwelling units
 Commercial _____ Industrial _____
 New Add'n. X Alter _____ Remodel _____
 Mixed Occupancy _____
 Change of Occupancy _____
 Estimated Cost \$ 17,800.00

ZONING INFORMATION

district	lot dimensions	area	front yd	side yds	rear yd
<u>A</u>	<u>66 x 130</u>	<u>7709 sq. ft.</u>	<u>30' MIN</u>	<u>7' MIN</u>	<u>15' MIN</u>
max hgt <u>35'</u>	no pkg spaces <u>2-MIN</u>	no ldg spaces _____	max cover <u>35%</u>	petition or appeal req'd _____	date appr _____

WORK INFORMATION:


Size: Length 18'-6" Width 28'-0" Stories 2 Ground Floor Area 518 cu. ft.
 Height 22'-0" Building Volume (for demo. permit) _____
 Electrical: APPLY FOR SEPARATELY brief description
 Plumbing: APPLY FOR SEPARATELY brief description
 Mechanical: APPLY FOR SEPARATELY brief description
 Sign: N/A Dimensions _____ Sign Area _____
 Additional Information: TWO STORY ADDITION ~~TO~~ CONNECTING THE EXISTING HOUSE AND GARAGE MAKING THE PRESENT GARAGE ATTACHED.

Date _____ Applicant Signature _____ owner-agent _____





10-DEAD + 20-LIVE = 30# P.S.F.

33893-1 E-06	28'-0"	4/12 T43 DES. BY: KBL	12-04-1986 TPI-85 ANALYSIS				
TOP CHORD LIVE LOAD	25.00 PSF	LM. PLATE SERIES:					
TOP CHORD DEAD LOAD	10.00 PSF	T 20GA 230 PSI GROSS					
BOT CHORD DEAD LOAD	30.00 PSF	K 16GA 200 PSI GROSS					
TOTAL UNIFORM LOAD	65.00 PSF	TRUSS SPACING:	2.00 FT. CENTERS				
LOAD DURATION FACTOR	15%						
T1 2X4	SOU PINE #2 DN KD 15	REACTIONS: VERT.	HOR.				
B1 2X6	SOU PINE #2 DN KD 15	1	0				
W1 2X4	SOU PINE #3 KD 15	5	0				
			MIN. BRG.				
			3.50 IN.				
			3.50 IN.				
TOP MEMBER	AXIAL FORCE LBR	BOT MEMBER	AXIAL FORCE LBR	WEB MEMBER	AXIAL FORCE LBR	WEB MEMBER	AXIAL FORCE LBR
1-2	-3949 T1	5-6	3741 B1	7-2	-500 W1	7-3	1262 W1
2-3	-3597 T1	6-7	2543 B1	6-3	1262 W1	6-4	-500 W1
3-4	-3597 T1	7-1	3741 B1				
4-5	-3949 T1						
SPLICE: 2- 3-3 x 5.3		6- 7-4 x 5.3					
PLATES: 4- 3-3 x 5.3							



SPLICES SHALL BE 1/4 PANEL +/- 1'-0" UNLESS NOTED.
SECOND PLATE DIMENSION TO BE PARALLEL TO CHORDS UNLESS NOTED. (*)




LUMBERMATE COMPANY
 SAINT LOUIS, MISSOURI

THIS COMPONENT DESIGN IS INTENDED FOR USE BY THE BUILDING ARCHITECT AND ENGINEER IN PREPARATION OF THEIR FINAL BUILDING DESIGN. DESIGN CRITERIA ESTABLISHED BY THE TRUSS PLATE INSTITUTE-TPI AND NDS BY THE NATIONAL FOREST PRODUCTS ASSOC. NO RESPONSIBILITY IS ASSUMED FOR THE ERECTION, BRACING AND ASSEMBLY TO THE COMPLETE STRUCTURE, SEE BWT-76(TPI). CUT MEMBERS TO BEAR. LATERALLY SUPPORT CHORDS. LUMBERMATE TRUSS PLATES OF HOT-DIPPED GALVANIZED STEEL (ASTM A 446) ARE INDICATED BY SIZE AND GAGE. PRESS PLATES SECURELY ON BOTH SIDES OF JOINTS. CENTER PLATES ON JOINTS UNLESS NOTED.

253615
V4.30H

 33893-1 T D S D E S I G N / A N A L Y S I S *****
 TP1-85 ANALYSIS Version 4.30H *****
 12-04-1986
 10-DEAD + 20 LIVE = 30 # P.S.F

LOADING:
 TOP CHORD LIVE LOAD 25.00 PSF TRUSS SPACING: 2.00 FT. CENTERS
 DEAD LOAD 10.00 PSF
 ROT CHORD DEAD LOAD 30.00 PSF F REPETITIVE USED

TOTAL UNIFORM LOAD 65.00 PSF LOAD DURATION FACTOR 15%

LUMBERS:
 T1 2X4 SOU PINE #2 DN KD 15 Fb Ft Fc MOE I A
 B1 2X6 SOU PINE #2 DN KD 15 1800 1050 1350 1.7E+06 5.35 5.25
 W1 2X4 SOU PINE #3 KD 15 1550 800 1400 1.7E+06 20.80 8.25
 850 500 675 1.5E+06 5.35 5.25


REACTIONS:
 Joint Type Vert. Hor. Mom. Req.d Brg.
 1 PIN 1801 0 0 3.50 in.
 5 ROLLER 1801 0 0 3.50 in.
 MEMBER ' FORCE ' AND ' CSI ' CALCULATIONS

MEMBER	CODE	LBR	AXIAL	SHEAR	MOMENT	M/SF	P/AF	CSI	DEFL	L/D	LEN
1-2	P	T1	-3949	0	2699	0.46	0.55	1.01	0.000	18.3	7.7
2-3	P	T1	-3597	0	2699	0.45	0.50	0.95	0.000	18.3	7.0
3-4	P	T1	-3597	0	2699	0.45	0.50	0.95	0.000	18.3	7.0
4-5	P	T1	-3949	0	2699	0.46	0.55	1.01	0.000	18.3	7.7
5-6	P	B1	3741	0	7256	0.48	0.49	0.97	0.000	20.0	9.5
6-7	P	B1	2543	0	7256	0.48	0.34	0.82	0.000	19.2	8.8
7-1	P	B1	3741	0	7256	0.48	0.49	0.97	0.000	20.0	9.5
7-2	P	W1	-500	-	-	0.13	0.13	-	0-CLB	21.1	3.3
7-3	P	W1	1262	-	-	0.42	0.42	-	0-CLB	41.1	6.4
6-3	P	W1	1262	-	-	0.42	0.42	-	0-CLB	41.1	6.4
6-4	P	W1	-500	-	-	0.13	0.13	-	0-CLB	21.1	3.3

 JOINT LOCATIONS AND DISPLACEMENT CALCULATIONS
 JOINT LOCATION DISPLACEMENTS


JOINT	X(FT)	Y(FT)	VERT(IN)	HOR(IN)	ROT(RAD)
1	0.146	0.164	0.000	0.000	0.000
2	7.406	2.615	0.394	0.081	
3	14.000	4.842	0.421	0.048	
4	20.594	2.615	0.394	0.014	
5	27.854	0.164	0.000	0.096	
6	18.396	0.164	0.430	0.059	
7	9.604	0.164	0.430	0.036	

 BEAGLE Version 4.30H T D S P L A T I N G *****
 253615
 12-04-1986



** SPECIAL LOADING AND/OR USAGE CONDITIONS MAY POSSIBLY CAUSE **
 SOME TRUSS PLATE SIZES AND/OR GAUGES TO BE ALTERED

JT. NO.	CODE	PLATE	SHIFTS	ANGLE	COST
1	HEEL	T408 4 x 8.8	+0.00	+0.00	\$ 0.74



Hamler Lumber & Builders Supply, Inc.

625 Belton St.

Hamler, Ohio 43524

Phone ... 419-274-3541

ELDON:

ENCLOSED PLEASE FIND TRUSS
RAFTER DIAGRAM TO BE USED ON
GARY GESSNER JOB.

CALL ME IF O.K. TO USE SO
THAT I CAN GET THEM ORDERED.

Thanked,
Arnold

CITY OF NAPOLEON

255 W. Riverview

NAPOLEON, OHIO 43545

message

reply

to

B. GERKEN

HAMLER LUMBER CO.

625 BECTON ST.

HAMLER, OHIO

▲ FOLD

subject 1036 WOODLAWN

EXCUSED FWO YEAR TRUSS DIAGRAM
WHICH I HAVE REJECTED
DOR TO THE LACK OF A
10 # P.S.F. BOT. CORD ~~ELIVE~~ LOAD

RESUBMIT A CORRECTED DIAGRAM
BEFOR INSTALING TRUSSES

date 12-8-86 signed FH

date signed

SENDER: Mail white and pink copies with carbon intact.

RECEIVER: Reply, retain white copy, return pink copy.

DATE: _____ TIME: _____

TO: _____ FROM: _____

RE: _____

NO. _____

DATE: _____

BY: _____

FOR: _____

APPROVED: _____

DATE: _____

BY: _____

MAPOLEON, OHIO 43212
322 W. Riverside
CITY OF MAPOLEON

CITY OF NAPOLEON

255 W. Riverview

NAPOLEON, OHIO 43545

message

reply

to

to [NAGEL PLUMB & HT'g
13992 FRUIT RIDGE RD.
AYERSVILLE, OHIO]

▲ FOLD

subject GARY GESSNER'S RESIDENCE
LOCATED AT 1036 WOODLAWN NARROW

TWO COPIES OF ALL SUBMITTALS
ARE REQUIRED FOR APPROVAL, ALSO
THEIR ARE NO HEATING RUNS SHOWN
ON THE FIRST FLOOR, OTHER
THAN THAT EVERYTHING SEAMS TO

BE IN ORDER, YOU CAN PICK UP
YOUR PERMIT WHEN YOU DELIVER THE
2-NO SET X FIRST FLOOR HEATING DWG'S,

date 11-24-86 signed *Chadon Fisher* date _____ signed _____

SENDER: Mail white and pink copies with carbon intact.

RECEIVER: Reply, retain white copy, return pink copy.

RECEIVED BY THE CITY OF NAPOLIEN

RECEIVED BY THE CITY OF NAPOLIEN

DATE: 11-15-88

TO: THE CITY OF NAPOLIEN

FROM: THE CITY OF NAPOLIEN

SUBJECT: THE CITY OF NAPOLIEN

RE: THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

THE CITY OF NAPOLIEN

NAPOLIEN, OHIO 43242

322 W. RiverView

CITY OF NAPOLIEN

FIELD CORRECTION NOTICE

LOCATION 1036 Woodlawn PERMIT NO. C1283
ISSUED TO Hammer Lumber Co. 125 North 7th Street
NOTICE DELIVERED TO Hammer Lumber Co.

Upon inspection, violations of the C.R.S. 600 Sec. B-303 were in evidence.

The following orders are hereby issued for their correction:

- 18" long extending a min. of 15" into
- majority 1-1'0" each way from each
- corner and 6'0" @
- the footing depth on the west side apply
- to be 25", 32" min. is req. about the
- exterior grade on the west side to obtain
- as close to 32" as possible

PLEASE CALL FOR INSPECTION WHEN CORRECTIONS HAVE BEEN COMPLETED. ACCEPTANCE AND APPROVAL BY AN INSPECTOR OF THIS DEPARTMENT IS REQUIRED AND MUST BE CORRECTED

ON OR BEFORE ITEM D BEFOR RECEIVING 11.4.10 11.4.10 11.4.10 11.4.10 11.4.10 11.4.10
DATE 12-10-86 BY FLOREN HOFFER INSPECTOR

PINK - ORIGINAL COPY WHITE - FIELD COPY YELLOW - FILE COPY

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR BUILDING PERMIT
(Please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

Location of project 1036 Woodlawn Ave Cost of project 17,800

Owner's Name Gary E Gessner Address 1036 Woodlawn Ave

Contractor HAMLER LUMBER CO Telephone No. 274-3541

Address 625 BELTON ST, HAMLER, OHIO

Lot Information: (Not required for siding job)

Lot No. 56 Subdivision Mary Dodds Second Addition

Zoning District _____ Lot Size 66 ft. X 130 ft. [±] Area 8580 sq. ft.

Setbacks: Front _____ Right Side _____ Left Side _____ Rear _____

Work Information:

Residential _____ Commercial _____ Industrial _____

New Construction _____ Addition _____ Remodel

Accessory Building _____ Siding _____

Brief Description of Work:----- (Specific Type)

Structure and enclosing area between garage & house
Adding a 2 story to an existing

Size: Length 25 Width 18'6" No. of Stories 2

Area: 1st Floor 200 sq. ft. Basement _____ sq. ft.

2nd Floor 450 sq. ft. Accessory Bldg. _____ sq. ft.

3rd Floor _____ sq. ft. Other _____ sq. ft.

Additional Information: Porch area

Reef old part of house and

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITION OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

Date Nov. 13 / 86 Applicant's Signature Gary Gessner

DRAW PLOT PLAN REVERS SIDE

PERMIT NO. _____

PERMIT FEE \$ _____

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR PLUMBING PERMIT
(Please print or type)

The undersigned hereby makes application for the installation or replacement of plumbing work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Plumbing Codes. (1, 2 and 3 family dwelling units only).

Owner's Name GARY GESSNER Address 1036 Woodland
 Plumbing Contractor NAPEL PLY & HTG Telephone No. 395-1610
 Address 13992 FRUIT RIDGE RD
 General Contractor HANCOCK LUMBER CO Telephone No. _____

Address _____
 Location of Project _____ Cost of Project _____

Work Information:
 No. of dwelling units _____ New _____ Replacement _____ Addition X

Brief description of work: redie Bath room

Is water tap required No Size _____ Type of Pipe _____

Is sewer tap required No Size _____ Type of Pipe _____

Type of Water Distribution pipe 3/4" d. Copper

Type of Drainage, Waste and Vent Pipe Sch 40 PVC

Size of main building drain 4" Size of main vent pipe 3"

Water closets 1 Bathtubs 1 No. _____ Trap Size 1 1/2 Shower _____ No. _____ Trap Size _____

Lavatories 1 No. _____ Trap Size 1 1/4 Kitchen Sink _____ No. _____ Trap Size _____ Disposal _____ No. _____ Trap Size _____

Dishwasher _____ No. _____ Trap Size _____ Clothes Washer 1 No. _____ Trap Size 1 1/2 Other _____ No. _____ Trap Size _____

All installations are subject to plumbing tests and/or inspections.

Date 11-19-82 Applicant's Signature Dan Nagel

PERMIT NO. _____
 PERMIT FEE \$ _____

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR HEATING PERMIT
(PLEASE PRINT OR TYPE)

The undersigned hereby makes application for the installation, replacement or alteration of a heating system or device as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Mechanical Code for 1, 2 and 3 Family Buildings.

Owner's Name GARY GESSNER Address 1036 Wood Lawn
Contractor's Name DAVE NAGEL Phg'Htg Address Defiance Tel. 395-1618

BUILDING INFORMATION:

Single Family Double Family Multiple New Construction
Addition Remodel X Replacement No. of Stories 2

DESCRIPTION OF WORK

Heating System - Warm Air X Hot Water Steam Electric

Unit Heaters Unit Gas Heaters Other

Type - Gravity Forced X Radiant

No. of Thermostatical Heating Zone

Hot Water - One Pipe Two Pipe Series Loop

Electric Heat - No. of Circuits Other

Total Heat Loss of Area to be Heated Btu.

Rated Capacity of Furnace/Boiler Btu.

No. of Furnaces 1 No. of Hot Air Runs 2

No. of Hot Water Radiators Type of Fuel GAS

Heating Units Located: Crawl Space Floor Level Suspended

Roof or Exposed to Outside Air Attic Other

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: LOCATION OF FURNACE OR UNIT HEATERS AND SIZE AND LOCATION OF FEEDER DUCTS AND RETURN AIR DUCTS. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT:

DATE 11-19-86 APPLICANT'S SIGNATURE DAVE NAGEL OWNER-CONTRACTOR-AGENT

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Jerry Sessner Address 1036 Wood Lane
Electrical Contractor Magelo Ply & Ltg Telephone No. 395-1618
Address 13902 Fruit Ridge Rd. Reynolds Ohio
General Contractor Shambler Lumber Telephone No. _____
Address _____

Location of Project _____ Cost of Project _____

Work Information: _____

Residential No. Units _____ Commercial _____ Industrial _____
New _____ Service Change _____ Rewiring _____ Additional Wiring

Brief Description of Work: Re-wiring kitchen tub & plug in bedroom & lights

Size of proposed service entrance _____ Number of new circuits 2

Type of proposed service entrance _____ Underground _____ Overhead _____

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service: and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 210-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

ate 11-19-86 Applicant's Signature Don Vogel

PERMIT NO. _____

PERMIT FEE \$ _____

