

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01617 Issued 9-2-88
date

Job Location 923 Woodlawn
address

Lot SW 1/4 Section 14 - Nap. Twnp.
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Brad Smith 599-3616
name tel.

Address 923 Woodlawn

Agent Self
builder-eng.-etc. tel.

Address _____

Description of Use Residence

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel _____

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 1,000.00

FEES	BASE	PLUS	TOTAL
<input type="checkbox"/> BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	15.00	9.00	24.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs	Elect. _____ hrs	
TOTAL FEES.....			24.00
LESS MIN. FEES PAID _____			
BALANCE DUE.....			

ZONING INFORMATION N.A.

district	lot dimensions	area	front yd	side yds	rear yd
C					
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: N.A.

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: Replace existing with 200 amp overhead service & add 3 circuits.
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: N.A. Dimensions _____ Sign Area 9-2-88

PAID

PAY NO 10297

Additional Information: _____

Date 9-2-88 Applicant Signature Brad Smith
owner-agent

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

01617 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. Issued 9-2-88
date

Job Location 923 WOODLAWN
address

Lot SW 1/4 SECTION 14 NAD. TOWNS.
sub-div or legal descripr

Issued By 54
building official

Owner BRAD SMITH
name tel

Address 923 WOODLAWN

Agent SELF
builder-eng-etc. tel.

Address

Description of Use RESIDENCE

Residential 1
no dwelling units

Commercial Industrial

New Add'n. Alter Remodel

Mixed Occupancy

Change of Occupancy

Estimated Cost \$ 1000.00

FEE	BASE	PLUS	TOTAL
BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	15.00	9.00	24.00
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. <u> </u> hrs	Elect. <u> </u> hrs	
TOTAL FEES.....			24.00
LESS MIN. FEES PAID <u> </u>			
BALANCE DUE.....			

ZONING INFORMATION NA

district <u>C</u>	lot dimensions	area	front yd	side yds	rear yd
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: NA

Size: Length Width Stories Ground Floor Area

Height Building Volume (for demo. permit) cu. ft.

Electrical: REPLACE EXISTING WITH 200 AMP OVERHEAD SERVICE +
brief description ADD 3-CIRCUITS.

Plumbing: NA
brief description

Mechanical: NA
brief description

Sign: NA Dimensions Sign Area
type

Additional Information:

Date Applicant Signature
owner-agent

BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name BRAD Smith Address 923 Woodlawn

Electrical Contractor BRAD Smith Telephone No. 599-3616

Address 923 Woodlawn Napoleon Ohio

General Contractor _____ Telephone No. _____

Address _____

Location of Project 923 Woodlawn Cost of Project _____

Work Information:

Residential Home Commercial _____ Industrial _____

No. Units _____

New _____ Service Change Rewiring _____ Additional Wiring _____

Brief Description of Work: 200 AMP service using 3/0 Copper

wire & 2" or 2 1/2 Conduit

Size of proposed service entrance 200A Number of new circuits 3

Type of proposed service entrance _____ Underground _____ Overhead _____

Require Temporary Electric No (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

PERMIT NO.

PERMIT FEE \$

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

date 9-2-88

Applicant's Signature



