

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 849-77 Issued 10-25-77
date

Job Location 914 Woodlawn Ct.
address

Lot 4 Lumbard 1st Add
sub-div or legal discript

Issued By Ronald D. Sonnenberg
building official

Owner Leola Cordes 592-3268
name tel.

Address 914 Woodlawn Ct.

Agent Emil Fitzenreiter 592-5691
builder-eng.-etc. tel.

Address 830 Monroe

Description of Use Alum. siding

Residential XX1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel XX

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$2,500.00

FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING	\$9.00	-0-	\$9.00
<input type="checkbox"/> ELECTRICAL			
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs		
	Elect. _____ hrs		
TOTAL FEES.....			\$9.00
LESS MIN. FEES PAID _____			-0-
			<small>date</small>
BALANCE DUE.....			\$9.00

ZONING INFORMATION

district		lot dimensions		area		front yd		side yds		rear yd	
max hgt		no pkg spaces		no ldg spaces		max cover		petition or appeal req'd		date appr	

WORK INFORMATION:

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: n/a
brief description

Plumbing: n/a
brief description

Mechanical: n/a
brief description

Sign: _____ Dimensions _____ Sign Area _____
type

Additional Information: SEE ATTACHED ADDENDUM:

Date 10-27-77 Applicant Signature Emil Fitzenreiter J. Jacobs
owner/agent

INSPECTION RECORD

UNDERGROUND			ROUGH-IN						FINAL			
Type	Date	By	Type	Date	By	Type	Date	By	Type	Date	By	
PLUMBING	Building Drains		Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping			
	Water Piping								Backflow Prevention			
	Building Sewer		Water Piping			Condensate Lines			Water Heater			
	Sewer Connection								FINAL APPROVAL			
MECHANICAL	Refrigerant Piping		Refrigerant Piping			Chimney(s)			Grease Exhaust System			
			Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)			
	Ducts/Plenums		Ducts/Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)			Refrigeration Equipment			
			Duct Insulation			Pool Heater			Furnace(s)			
			Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			FINAL APPROVAL			
ELECTRICAL	Conduits & or Cable		Conduits/ Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			Temp Service Temp Lighting			
	Grounding & or Bonding		Rough Wiring			<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors			Fixtures Lampholders			
	Floor Ducts Raceways		Service Panel Switchboard			<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder			Signs			
	Service Conduit		Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable			Electric Mtr. Clearance			
	Temporary Power Pole		Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)			FINAL APPROVAL			
BUILDING	Location, Set-backs, Esmt(s)		Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector			
	Excavation					Exterior Lath			Demolition (sewer cap)			
	Footings & Reinforcing					<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard						
	Floor Slab		Interior Wall Construction			Fire Wall(s)			Building or Structure			
	Foundation Walls		Columns & Supports			Fireplace Chimney						
	Sub-soil Drain		Crawl Space <input type="checkbox"/> Vent <input type="checkbox"/> Access			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access						
	Piles		Floor System(s)						FINAL APPROVAL BLDG. DEPT.			
		Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued				
ADDITIONAL	INSPECTIONS, CORRECTIONS, ETC.						INSPECTIONS, CORRECTIONS, ETC.					

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR CONSTRUCTION PERMIT
(PLEASE PRINT OR TYPE)

849-77

\$9.00

The undersigned hereby makes application for the construction, installation, replacement or alteration as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's Building Code for 1, 2 and 3 Family Buildings.

Owner's Name MRS. Leola Cordes Address 914 Woodlawn Ct.

Builder's Name Emil Fitzmaurice Address 830 Monroe St Tel. _____

LOT INFORMATION: (Not required for roofing or siding job.)

Location of Project _____ Lot # _____

Subdivision _____ Lot Area _____ Sq. Ft. _____

Yard Set Back: Front _____ Rear _____ Left Side _____

Right Side _____ Zoning District _____

BUILDING INFORMATION:

Single Double _____ Multiple _____ New Construction _____

Addition _____ Remodel Attached Garage _____

Detached Garage _____ Accessory Building _____ Replacement _____

Brief Description of Work: Aluminum siding on home and
Attached garage

Size: length _____ width _____ No. of stories _____

Floor Area: 1st Floor _____ Sq. Ft. 2nd Floor _____ Sq. Ft.

3rd Floor _____ Sq. Ft. Basement _____ Sq. Ft.

Unfinished Attic _____ Garage _____

Foundation: Pierc _____ Full Basement _____ Part Basement _____

Concrete _____ Brick _____ Block _____ Size _____

Walls: Frame Block _____ Brick _____ Other _____

Specific Type of Exterior Siding AL500

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITIONS OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

ESTIMATED COST OF COMPLETED PROJECT: 2500⁰⁰

DATE 10-25-77 APPLICANT'S SIGNATURE Emil Fitzmaurice, Jerry Jacobs

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON, Building Dept.
 255 West Riverview Avenue
 Napoleon, Ohio 43545
 (419) 592-4010

ADDENDUM to Permit No. 849-77
Owner L. Cordes
Location 914 Woodlawn Ct.

Please note the Items checked below and incorporate them into your plans as indicated: Permit not yet Issued Correct Plans and Re-Submit. Permit Issued Incorporate the Items during construction.

GENERAL	
Provide 1 approved smoke detector.	Show size of members supporting porch roof.
Provide 1 hour fire wall and/or ceiling between garage and dwelling.	Provide double top plate.
Provide (Class B) 1 hour fire rated door from garage to dwelling.	Provide design data for pre-fab. wood truss/members.
Submit fully dimensioned plot plan.	Ceiling joists undersized in.....
Provide 1-3'0" x 6'8" exit door.	Roof rafters undersized in.....
Provide min. 22" x 30" attic access.	PLUMBING AND MECHANICAL:
Provide min. 18" x 24" crawl space access opening.	Terminate all exhaust systems to outside air.
LIGHT AND VENTILATION:	Insulate ducts in unheated areas.
Provide mechanical exhaust or window in bathroom.....	Provide back flow device on all hose bibs.
Provide Min. _____ sq. in. net free area attic ventilation.	ELECTRICAL:
Provide min. _____ sq. in. net free area crawl space ventilation.	Show location of service entrance and service equipment panel.
FOUNDATION:	G.F.C.I. req'd. on Temp. Electric.
Min. depth of foundation below finished grade 30".	Outdoor and bathroom receptacles shall be protected by G.F.C.I.
Min. size of footer " x "	METAL VENEERS:
Provide anchor bolts 1/2" @ 8' o.c. 1' from each corner. Embedded 8" concrete and 15" in masonry.	Contact City Utilities Dept. to remove conductors and/or meter.
Show size of basement columns.	<input checked="" type="checkbox"/> Provide 18" x 18" x 3/4" wood backer for meter base.
FRAMING:	<input checked="" type="checkbox"/> Provide approved system of grounding and bonding.
Show size of wood girder in.....	MISCELLANEOUS:
Provide design data for structural member in.....	Provide backwater valve in sub-soil drain tile.
Floor joists under sized in.....	Provide approved sheathing and flashing behind masonry veneer.
Provide double joists under parallel partitions.	Provide 15# felt underlayment on roof.
Provide 1" x 4" let in corner bracing or approved sheathing.	Provide adequate fireplace hearth extensions
Show size of headers for openings over 4' wide.	Install factory built fireplaces/stoves according to manufacturers recommendations.
	Terminate chimney 3' above roof or 2' above highest point of building within 10' of chimney.

ADDITIONAL CORRECTIONS: _____

The approval of plans and specifications does not permit the violation of any section of the Building Code, or other City Ordinance or State Law. This addendum is attached to Permit No. 849-77 and made a part thereof.

Date Approved or ~~Disapproved~~ 10/25/77

Checked By Ronald D. Sommerberg
Plan Examiner

Date Rechecked and Approved _____

Checked By _____

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF HAWAII, Building Dept.
 255 West Riverlaw Avenue
 Honolulu, OHI 96822
 (419) 232-4070

ADDENDUM to Permit No. 19-11
 Name: James L. Jones
 Location: 114 Woodlawn
 City: Wahiawa

Please note the items checked below and incorporate them into your plans as indicated. If Permit has not yet issued Correct Plans and Re-submit. If Permit issued incorporate the items during construction.

GENERAL	
Provide 1 approved smoke detector	
Provide 1 hour fire wall and/or ceiling between garage and dwelling	
Provide (1) door from the main door from garage to dwelling	
Submit fully dimensioned plot plan	
Provide 1-3/4" x 5-8" exit door	
Provide min. 22" x 30" attic access	
Provide min. 18" x 24" crawl space access opening	
LIGHT AND VENTILATION	
Provide mechanical exhaust of windows in bathroom, kitchen, laundry, and clothes closet	
Provide Min. _____ sq. ft. net free area attic ventilation	
Provide min. _____ sq. ft. net free area crawl space ventilation	
FOUNDATION	
Min. depth of foundation below finished grade 30"	
Min. size of footing _____ x _____	
Provide anchor bolts @ 8" o.c. from each corner. Embedded 8" concrete and 12" masonry	
Show size of basement columns	
FRAMING	
Show size of wood joist _____	
Provide design data for structural members	
Floor joists to be sized in _____	
Provide double joists under partial partition	
Provide 1" x 4" let in corner bracing or approved sheathing	
Show size of headers for openings over 4' wide	
MISCELLANEOUS	
Provide backwater valve in sub-soil drain line	
Provide approved sheathing and flashing behind masonry veneer	
Provide 1/2" fill underlayment on roof	
Provide adequate flashings, seams, exterior	
Install factory built fireplaces as according to manufacturer's requirements	
Terminate chimney 2' above roof or 2' above highest point of building within 10' of chimney	
Provide approved system of grounding and bonding	<input checked="" type="checkbox"/>
Provide 10" x 18" x 1/2" wood gasket for meter base	<input checked="" type="checkbox"/>
Contact City Utilities Dept. to remove conductors and/or meter	
METAL VENEER	
Outdoor and bathroom receptacles shall be protected by G.F.C.I.	
G.F.C.I. to be on Temp. Electric	
Give location of service entrance and indicate equipment panel	
ELECTRICAL	
Provide back flow device on all hose bibs	
Insulate ducts in unheated areas	
Terminate all exhaust systems to outside air	
PLUMBING AND MECHANICAL	
Roof rafters insulated in _____	
Ceiling joists underlaid in _____	
Provide design data for pre-fab wood truss members	
Provide double top plate	
Show size of members supporting porch roof	

ADDITIONAL CORRECTIONS:

The approval of plans and specifications does not permit the violation of any section of the Building Code, or other City Ordinance of State Law. This addendum is attached to Permit No. 19-11 and made a part thereof.

Date Approved: 10/25/11 Checked by: Ronald B. [Signature]
 Date Rechecked and Approved: _____ Checked by: _____