

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01571 Issued 6-20-88
date

Job Location 222 Brownell
address

Lot 7 Springwills add
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Veda Badenhop
name tel.

Address 222 Brownell

Agent Waisner Const. 274-5996
builder-eng.-etc. tel.

Address Rt. #1 Holgate Ohio

Description of Use Residence

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. Alter _____ Remodel _____

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ \$8500.00

FEES	BASE	PLUS	TOTAL
<input type="checkbox"/> BUILDING	\$9.00	\$46.00	\$55.00
<input type="checkbox"/> ELECTRICAL	\$15.00	\$3.00	\$18.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.		5-prints 5.00	
ADDITIONAL PLAN REVIEW	Struct. 2-copies	hrs .50	
	Elect. _____	hrs _____	
TOTAL FEES.....		\$	78.50
LESS MIN. FEES PAID _____		date _____	
BALANCE DUE.....			

ZONING INFORMATION

district A	lot dimensions 82.5' x 165'	area 13,612 s.f.	front yd 29' existing	side yds 6-27 R-10'	rear yd 94'
max hgt 351	no pkg spaces 2-min	no ldg spaces	max cover 35%	petition or appeal req'd	date appr

WORK INFORMATION:

Size: Length 16' Width 16' Stories 1 Ground Floor Area 256 s.f.

Height 14' Building Volume (for demo. permit) _____ cu. ft.

Electrical: one circuit run from existing house panel
brief description

Plumbing: apply for seperately
brief description

Mechanical: apply for seperately
brief description

Sign: N/A Dimensions _____ Sign Area _____
type

Additional Information: Bedroom and bath addition

PAID

JUN 20 1988

Date _____ Applicant Signature _____
owner-agent

CITY OF NAPOLEON

INSPECTION RECORD

UNDERGROUND			ROUGH-IN						FINAL			
Type	Date	By	Type	Date	By	Type	Date	By	Type	Date	By	
PLUMBING	Building Drains		Drainage, Waste & Vent Piping			Indirect Waste			Drainage, Waste & Vent Piping			
	Water Piping								Backflow Prevention			
	Building Sewer		Water Piping			Condensate Lines			Water Heater			
	Sewer Connection								FINAL APPROVAL			
MECHANICAL	Refrigerant Piping		Refrigerant Piping			Chimney(s)			Grease Exhaust System			
			Duct Furnace(s)			Fire Dampers			Air Cond. Unit(s)			
	Ducts/Plenums		Ducts/Plenums			<input type="checkbox"/> Radiant Htr(s) <input type="checkbox"/> Unit Htr(s)			Refrigeration Equipment			
			Duct Insulation			Pool Heater			Furnace(s)			
			Combustion Products Vents			Ventilation <input type="checkbox"/> Supply <input type="checkbox"/> Exhst.			FINAL APPROVAL			
ELECTRICAL	Conduits & or Cable		Conduits/Cable			<input type="checkbox"/> Range <input type="checkbox"/> Dryer			Temp Service Temp Lighting			
	Grounding & or Bonding		Rough Wiring			<input type="checkbox"/> Generator(s) <input type="checkbox"/> Motors			Fixtures Lampholders			
	Floor Ducts Raceways		Service Panel Switchboard			<input type="checkbox"/> Water Htr <input type="checkbox"/> Welder			Signs			
	Service Conduit		Busways Ducts			<input type="checkbox"/> Heaters <input type="checkbox"/> Heat Cable			Electric Mtr. Clearance			
	Temporary Power Pole		Subpanels			<input type="checkbox"/> Duct Htr(s) <input type="checkbox"/> Furnace(s)			FINAL APPROVAL			
BUILDING	Location, Set-backs, Esmt(s)		Exterior Wall Construction			Roof Covering Roof Drainage			Smoke Detector			
	Excavation					Exterior Lath			Demolition (sewer cap)			
	Footings & Reinforcing					<input type="checkbox"/> Interior Lath <input type="checkbox"/> Wallboard						
	Floor Slab		Interior Wall Construction			Fire Wall(s)			Building or Structure			
	Foundation Walls		Columns & Supports			Fireplace Chimney						
	Sub-soil Drain		Crawl Space <input checked="" type="checkbox"/> Vent <input type="checkbox"/> Access			Attic <input type="checkbox"/> Vent <input type="checkbox"/> Access						
	Piles		Floor System(s)						FINAL APPROVAL BLDG. DEPT.	10/28	EH	
			Roof System			Special Insp Reports Rec'd			Certificate of Occupancy Issued			
ADDITIONAL	INSPECTIONS, CORRECTIONS, ETC.						INSPECTIONS, CORRECTIONS, ETC.					
	* PROJECT COMPLETE EXCEPT FOR MISC. TRIM & PAINT											

RESIDENTIAL PLAN CORRECTION SHEET

CITY OF NAPOLEON
 155 West Riverview Ave.
 Napoleon, Ohio 43545
 119/592-4010

ADDENDUM TO Permit No. 01571
 Owner VEDA TRADESHOP
 Contractor WALSNER CON
 Location 222 BROWNELL

Please note the items checked below and incorporate them into your plans as indicated: PERMIT NOT YET ISSUED, CORRECT PLANS AND RE-SUBMIT. PERMIT ISSUED, INCORPORATE ITEMS DURING CONSTRUCTION.

GENERAL					
<input checked="" type="checkbox"/>	Provide approved smoke detector(s) as req'd.		Show size of members supporting porch roof.		
	Provide 1/2" gypsum wallboard between dwelling and garage, on garage side.		Provide double top plate for all bearing partitions and exterior walls.		
	Provide min. 1 3/8" solid wood door from garage to dwelling. (or equal)		Provide design data for prefab wood truss.		
	Submit fully dimensioned plot plan.		Ceiling joists undersized in _____.		
	Provide min. of 1-3'0" x 6'8" exit door.		Roof rafters undersized in _____.		
<input checked="" type="checkbox"/>	Provide min. 22" x 30" attic access opening.		PLUMBING AND MECHANICAL		
<input checked="" type="checkbox"/>	Provide min. 18" x 24" crawl space access opening.	<input checked="" type="checkbox"/>	Terminate all exhaust systems to outside air.		
	Provide approved sheathing or flashing behind masonry veneer.		Insulate ducts in unheated areas.		
<input checked="" type="checkbox"/>	Provide min. 15# underlayment on roof.		Provide backflow prevention device on all hose bibs.		
	Provide adequate fireplace hearth.		Terminate pressure and temperature relief valve drain in an approved manner.		
	Install factory built fireplaces/stoves according to manufacturers instructions.		Provide dishwasher drain with approved air gap device.		
	Terminate chimney 2' above roof or 2' above highest point of building within 10' of chimney.		METAL VENEERS		
			Contact City Utilities Dept. to remove conductors and/or meter.		
			Provide approved system of grounding and bonding.		
	LIGHT AND VENTILATION		ELECTRICAL		
<input checked="" type="checkbox"/>	Provide mechanical exhaust or window in bathroom _____.		Show location of service entrance panel and service equipment panel.		
<input checked="" type="checkbox"/>	Provide min. <u>123</u> Sq. In. net free area attic ventilation. <u>1/2" RIGGE</u>		G. F. C. I. req'd. on temporary electric.		
<input checked="" type="checkbox"/>	Provide min. <u>247</u> Sq. In. net free area crawl space ventilation.		Outdoor, bathroom and garage receptacles shall be protected by G. F. C. I.		
	FOUNDATION		Maximum number of receptacles permitted on a G. F. C. I. circuit shall be 10 for 20 A. circuits and 7 for 15A. circuits.		
	Min. depth of foundation below finished grade is 32".		Refrigerators, microwaves, washers, disposal, furnace and air conditioners shall be on separate circuits.		
	Min. size of footer _____" x _____".		INSPECTIONS		
	Provide anchor bolts 1/2" @ 6' o.c. 1' from each corner. Embedded 7" in concrete and 15" in masonry.		The following indicated inspections are required. The owner or his agent shall contact the City Building Dept. at least 24 hrs. prior to the time the inspection is to be made.		
	Show size of basement columns.		<input checked="" type="checkbox"/>	Footers and Setbacks.	Building sewer.
	FRAMING		<input checked="" type="checkbox"/>	Foundation.	HVAC rough-in.
	Show size of wood girder in _____.			Plumbing rough-in.	<input checked="" type="checkbox"/> Final Building
	Provide design data for structural member in _____.			Plumbing final.	other.
	Floor joists undersized in _____.			Electrical service.	<input checked="" type="checkbox"/> BUILDING FRAMING
	Provide double joists under parallel bearing partitions.		<input checked="" type="checkbox"/>	Electrical rough-in.	
<input checked="" type="checkbox"/>	Provide 1" x 4" let in corner bracing, approved sheathing, or equal.		<input checked="" type="checkbox"/>	Electrical final	
	Show size of headers for openings over 4' wide _____.				

Additional Corrections. MIN HEADER SIZE - 2-2x6 1-BEDROOM WINDOWS TO HAVE A NET CLEAR OPENING OF 24" HIGH

The approval of plans and specifications does not permit the violation of any section of the Building Code or other City Ordinance. This addendum is attached to Permit No. 01571 and made a part thereof. DATE APPROVED OR DISAPPROVED 6-20-88 Checked by ELDON HUBER Plan Examiner.
 DATE RECHECKED AND APPROVED _____ Checked by _____

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

01571 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. [REDACTED] Issued 6-20-88
date

Job Location 222 BROWNELL
address

Lot 7 SPRINGWELL ADD
sub-div or legal descript

Issued By F 54
building official

Owner VEDA BADEHOP
name tel.

Address 222 BROWNELL

Agent WASIDER CONSI 274596
builder-eng-etc. tel.

Address 27 #1 HOLLGATE OHIO

Description of Use RESIDENCE

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. X Alter _____ Remodel _____

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 8500.00

FEES	BASE	PLUS	TOTAL
<input checked="" type="checkbox"/> BUILDING	9.00	46.00	55.00
<input checked="" type="checkbox"/> ELECTRICAL	15.00	3.00	18.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. <u>5-PRINTS</u>	hrs <u>2-COPY</u>	5.00 1.50
	Elect. _____	hrs _____	
TOTAL FEES.....			<u>78.50</u>
LESS MIN. FEES PAID _____			
	<small>date</small>		
BALANCE DUE.....			

ZONING INFORMATION

district	lot dimensions	area	front yd	side yds	rear yd
A	82.5' x 165'	13,612 S.F.	29' EXISTING	L-27' R-10'	94'
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr
35'	2-MIN		35%		

WORK INFORMATION:

Size: Length 16' Width 16' Stories 1 Ground Floor Area 256 S.F.

Height 14' Building Volume (for demo. permit) _____ cu. ft.

Electrical: ONE CIRCUIT RUN FROM EXISTING HOOR PANEL
brief description

Plumbing: APPLY FOR SEPERATELY
brief description

Mechanical: APPLY FOR SEPERATELY
brief description

Sign: N/A Dimensions _____ Sign Area _____
type

Additional Information: BEDROOM AND BATH ADDITION

Date _____ Applicant Signature _____
owner-agent

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR BUILDING PERMIT
(Please print or type)

The undersigned hereby makes application for construction, installation, or alteration work as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Building Codes.

Location of project 222 Brownell Cost of project \$8500
Owner's Name Veda Bodenhop Address 222 Brownell
Contractor Wagner Const Telephone No. 274 5996
Address Rt 1 Holgate Ohio

Lot Information: (Not required for siding job)
Lot No. 7 Subdivision Springwells
Zoning District _____ Lot Size 82 1/2 ft. X 165 ft. Area _____ sq. ft.
Setbacks: Front _____ Right Side _____ Left Side _____ Rear _____

Work Information:
Residential yes Commercial _____ Industrial _____
New Construction _____ Addition yes Remodel _____
Accessory Building _____ Siding vinyl
(Specific Type)

Brief Description of Work:-----

Size: Length 16 Width 16 No. of Stories 1
Area: 1st Floor 256 sq. ft. Basement _____ sq. ft.
2nd Floor _____ sq. ft. Accessory Bldg. _____ sq. ft.
3rd Floor _____ sq. ft. Other _____ sq. ft.

Additional Information: _____

APPLICATION FOR PERMIT SHALL BE ACCOMPANIED BY TWO COMPLETE SETS OF PLANS INCLUDING: ELEVATIONS, FLOOR PLANS, CROSS SECTIONS AND PLOT PLAN. IF ADDITION OR REMODELING, SHOW ALL EXISTING STRUCTURES AND THEIR SIZE AND LOCATION. ALL PLANS SHALL BE DRAWN TO SCALE.

Date June 16 - 88 Applicant's Signature Jerry Wagner

PERMIT NO. _____
PERMIT FEE \$ 55.00

16
1/19/88

CITY OF NAPOLEON
BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name Veda Rademhop Address 222 Brownell

Electrical Contractor Waisner Const. Telephone No. 274-5996

Address Rt 1 Holgate, Ohio

General Contractor Waisner Const. Telephone No. 274-5996

Address Rt 1 Holgate Ohio

Location of Project 222 Brownell Cost of Project _____

Work Information:

Residential one Commercial _____ Industrial _____

No. Units

New _____ Service Change _____ Rewiring _____ Additional Wiring

Brief Description of Work: _____

Size of proposed service entrance same Number of new circuits one

Type of proposed service entrance same Underground _____ Overhead _____

Require Temporary Electric no (Yes or No)

Total Floor Area - Commercial and Industrial only _____ sq. ft.

Additional Information: _____

PERMIT NO.

PERMIT FEE

\$ 10.00

171

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

ate June 16 - 88

Applicant's Signature Jerry Waisner

