

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 515 Date Oct. 6, 1982
Job Location 49 Pontious Place Valuation \$ _____
Owner Burdette Frysinger Address ~~XXXXXXXXXXXXXXXX~~ 49 Pontious Place
Contractor _____ Telephone No. 599-2171
Address _____
Electric Contractor Cochran Electric, Napoleon, Ohio
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:
Residential Commercial _____ Industrial _____
New Construction _____ Addition _____ Remodel _____
Brief Description of Work 100 amp service

ISSUED BY Richard H. Wayman DEPT. OF BUILDING & ZONING
Building Official

It is the owners or contractors responsibility to call the Building Department for the following (x) inspections:

- _____ Footing excavation prior to placing concrete.
- _____ Footing drains and foundation prior to backfill.
- _____ Prepared sub-grade prior to placing concrete floor slab.
- _____ Sanitary sewer
- _____ Rough-in electrical, plumbing and service framing prior to installing wall board.
- _____ Final electrical, plumbing and heating.
- _____ Final building inspection, prior to occupancy.

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>5.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other	\$ _____

TOTAL FEES \$ 5.00
LESS FEES PAID \$ -0-
BALANCE DUE \$ 5.00

Pd
Sept. 28, 1982
RHW

PERMIT

CITY OF NAPOLEON, OHIO — DEPT. OF BUILDING & ZONING
255 W. Riverview Avenue, Napoleon, Ohio 43545 (419) 592-4010

Permit No. 515 Date Oct. 5, 1982
Job Location 49 Pontious Place Valuation \$ _____
Owner Burdette Frysinger Address 49 Pontious Place
Contractor _____ Telephone No. 599-2171
Address _____
Electric Contractor Cochran Electric, Napoleon, Ohio
Plumbing Contractor _____
Mechanical Contractor _____

This permit is issued for work described in the plans, specifications, and/or application submitted, as approved by the Building Commissioner of the City of Napoleon, Ohio. Work shall conform to all pertinent construction and land use Codes and Ordinances.

Work Information:

Residential Commercial _____ Industrial _____
New Construction _____ Addition _____ Remodel _____
Brief Description of Work 100 amp service

ISSUED BY _____ DEPT. OF BUILDING & ZONING

It is the owners or contractors responsibility to call the Building Department for the following (X) inspections:

- _____ Footing excavation prior to placing concrete.
- _____ Footing drains and foundation prior to backfill.
- _____ Prepared sub-grade prior to placing concrete floor slab.
- _____ Sanitary sewer
- _____ Rough-in electrical, plumbing and service framing prior to installing wall board.
- _____ Final electrical, plumbing and heating.
- _____ Final building inspection, prior to occupancy.

PERMIT & FEES

Building Permit	\$ _____
Electrical Permit	\$ <u>5.00</u>
Plumbing Permit	\$ _____
Mechanical Permit	\$ _____
Demolition Permit	\$ _____
Zoning Permit	\$ _____
Sign Permit	\$ _____
Water Tap	\$ _____
Sewer Tap	\$ _____
Temp. Elec.	\$ _____
Other _____	\$ _____
TOTAL FEES	\$ <u>5.00</u>
LESS FEES PAID	\$ <u>-0-</u>
BALANCE DUE	\$ <u>5.00</u>

Permit is not valid until all fees are paid in full, and shall be void if work is not started within six months of date above.

INSPECTION RECORD

UNDERGROUND			ROUGH-IN &			FINAL		
Type	Date	By	Type	Date	By	Type	Date	By
PLUMBING	Sewer Connection		Drainage, W. & Vent			Drainage, W. & Vent		
	Building Sewer		Water Piping			Water Heater		
	Water Piping		Condensate Lines			Backflow Prevention		
			Indirect Waste					
ELECTRICAL	Floor Ducts Raceways		Rough Wiring			FINAL APPROVAL		
	Conduits & or Cable		Conduits/ Cable			Electric Mtr. Clearance		
	Grounding & or Bonding		Service Panel Switchboard			Signs		
			Subpanels					
MECHANICAL	Refrigerant Piping		Refrigerant Piping			FINAL APPROVAL		
	Ducts/ Plenums		Ducts/ Plenums			Duct Insulation		
			Ventilation Supply			Chimney(s)		
			Exhst.			Furnace(s)		
BUILDING	Location, Set-backs, Esmt(s)		Wall Construction			FINAL APPROVAL		
	Excavation		Crawl Space			Fireplace Chimney		
	Footings & Reinforcing		Vent Access			Attic Vent Access		
	Sub-soil Drain		Floor System(s)			Special Insp Reports Rec'd		
	Foundation Walls		Roof System			Smoke Detector		
	Floor Slab		Fire Wall(s)			Demolition (sewer cap)		
			Roof Cover Roof Drain			Building or Structure		
FINAL APPROVAL BLDG. DEPT			Certificate of Occupancy Issued			#		

CITY OF NAPOLEON

ELECTRICAL PERMIT APPLICATION

PROJECT LOCATION 49 PONTIOUS PL.
 OWNER BURDETTE FRYSENGER CONTRACTOR COCHRAN ELECT.
 ADDRESS 49 PONTIOUS PL ADDRESS 525 N PERRY ST.
 PHONE 599-2171 PHONE _____
 LOT NO. _____ ADDITION _____

SERVICE INFORMATION

RESIDENTIAL
 COMMERCIAL _____
 INDUSTRIAL _____

NEW _____
 CHANGE

SERVICE SIZE 100

OVERHEAD
 UNDERGROUND _____

MAIN DIS. EXT. _____
 INT. _____

TEMP. ELECT. NO
 (yes or no)

PANEL INFORMATION MINIMUM

#12 AWG Wire for receptical circuits.
 #14 AWG Wire for light circuits.
 All circuits shall be listed on the fuse or breaker or on the inside of panel door.

PERMIT FEES

RESIDENTIAL
 BASE FEE \$5.00
 PLUS \$1.00 PER CIRCUIT _____
 TEMP. ELECT. \$10.00 _____

COMMERCIAL
 PLANS W/SEAL PER STRUC. \$12.00
 PLUS \$.40 PER 100 SQ.FT. _____

PLANS, NO SEAL \$35.00 PER HOUR
 PLUS \$.55 per 100 SQ.FT.

IN THE ABSENCE OF A DETAILED BLUE PRINT DRAWING, PLEASE MAKE AN ISOMETRICAL DRAWING OF THE PROPOSED WORK. (TWO COMPLETE SETS)

LIGHTS AND APPLIANCES SHALL BE ON SEPERATE CIRCUITS. LIMIT EACH CIRCUIT TO NOT MORE THAN 1200 WATTS.

GROUND FAULT CIRCUIT INTERRUPTER PROTECTION IS REQUIRED ON ALL 120 VOLT SINGLE PHASE, 15 AND 20 AMP. CIRCUITS WHICH ARE PART OF A TEMPORARY ELECTRIC SERVICE; AND ALSO ON BATHROOM, OUTDOOR AND GARAGE RECEPTICALS IN ALL DWELLING UNITS.

GROUNDING

RESIDENTIAL SERVICE GROUNDING SHALL CONSIST OF TWO SEPERATE PATHS TO GROUND. 1. A DRIVEN GROUND ROD. 2. TO THE SERVICE SIDE OF THE WATER SERVICE. MINIMUM GROUNDING WIRE SIZE SHALL BE #6 AWG.

METER SOCKET

METER SOCKETS WILL BE ISSUED BY THE CITY OF NAPOLEON ELECTRIC DEPT. AT NO CHARGE ONLY WITH A METER RELEASE SLIP FROM THE BUILDING DEPT.

INSPECTIONS REQUIRED: ROUGH IN AND FINAL.

DATE 9-27-82 CONTRACTOR SIGNATURE Shoyan Myers

PERMIT NO. 515 PERMIT FEE \$ 5.00

