

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT
 255 West Riverview Avenue, Napoleon, Ohio 43545 - 419-592-4010

Permit No. 01649 Issued 10-20-88
date

Job Location 1130 Willard
address

Lot 85 Mary Dodds 2nd Add.
sub-div or legal discript

Issued By Eldon Huber
building official

Owner Lorenzo Pedraza
name tel.

Address 1130 Willard

Agent Bartels Elect. 599-2992
builder-eng.-etc. tel.

Address 13-414 Co. Rd. S - Nap., OH

Description of Use Residence

Residential 1
no. dwelling units

Commercial _____ Industrial _____

New _____ Add'n. _____ Alter _____ Remodel X

Mixed Occupancy _____

Change of Occupancy _____

Estimated Cost \$ 500.00

FEES	BASE	PLUS	TOTAL
<input type="checkbox"/> BUILDING			
<input checked="" type="checkbox"/> ELECTRICAL	15.00		15.00
<input type="checkbox"/> PLUMBING			
<input type="checkbox"/> MECHANICAL			
<input type="checkbox"/> DEMOLITION			
<input type="checkbox"/> ZONING			
<input type="checkbox"/> SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. _____ hrs	Elect. _____ hrs	
TOTAL FEES.....			15.00
LESS MIN. FEES PAID			
			<small>date</small>
BALANCE DUE.....			

ZONING INFORMATION N.A.

district	lot dimensions	area	front yd	side yds	rear yd
A					
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: N.A.

Size: Length _____ Width _____ Stories _____ Ground Floor Area _____

Height _____ Building Volume (for demo. permit) _____ cu. ft.

Electrical: 100 amp overhead service to replace existing 60 amp.
brief description

Plumbing: N.A.
brief description

Mechanical: N.A.
brief description

Sign: N.A. Dimensions _____ Sign Area _____
type

Additional Information: _____

Date 10-20-88 Applicant Signature [Signature] owner-agent

CITY OF NAPOLEON

OCT 20 1988

PAID

PERMIT

CITY OF NAPOLEON - BUILDING DEPARTMENT

01649 255 West Riverview Avenue, Napoleon, Ohio 43545 • 419-592-4010

Permit No. Issued 10-20-88
date

Job Location 1130 WILLIARD
address

Lot 85 MARY OODS - 2ND ADD
sub-div or legal discript

Issued By F PEDRZA
building official

Owner LORENZO PEDRZA
name tel

Address 1130 WILLIARD

Agent DARTELS ELECI 598-2992
builder-eng -etc tel

Address 17-414 CO. RDS NAP OH 43545

Description of Use RESIDENC

Residential 1
no dwelling units

Commercial Industrial

New Add'n. Alter Remodel X

Mixed Occupancy

Change of Occupancy

Estimated Cost \$ 500.00

FEE	BASE	PLUS	TOTAL
BUILDING			
ELECTRICAL	<u>15.00</u>	<u>1.00</u>	<u>15.00</u>
PLUMBING			
MECHANICAL			
DEMOLITION			
ZONING			
SIGN			
WATER TAP			
SEWER TAP			
TEMP. ELECT.			
ADDITIONAL PLAN REVIEW	Struct. <u> </u> hrs		
	Elect. <u> </u> hrs		
TOTAL FEES.....			<u>15.00</u>
LESS MIN. FEES PAID			
	<small>date</small>		
BALANCE DUE.....			

ZONING INFORMATION NA

district	lot dimensions	area	front yd	side yds	rear yd
<u>A</u>					
max hgt	no pkg spaces	no ldg spaces	max cover	petition or appeal req'd	date appr

WORK INFORMATION: N.A.

Size: Length Width Stories Ground Floor Area

Height Building Volume (for demo. permit) cu. ft.

Electrical: 100 AMP OVERHEAD SERVICE TO REPLACE EXISTING 60 AMP
brief description

Plumbing: NA
brief description

Mechanical: NA
brief description

Sign: NA Dimensions Sign Area
type

Additional Information:

Date Applicant Signature
owner-agent

BUILDING INSPECTION DEPARTMENT
APPLICATION FOR ELECTRICAL PERMIT
(Please print or type)

The undersigned hereby makes application for installation or replacement of electrical equipment as herein specified, agreeing to do all such work in strict accordance with the City of Napoleon's adopted Electrical Codes.

Owner's Name LORRENZO PODRAZA Address 1130 WILLARD

Electrical Contractor BARTUS ELECTRIC Telephone No. 599-2992

Address 13-414 Lords NAPOLEON, OHIO 43545

General Contractor - Telephone No. -

Address -

Location of Project 1130 WILLARD Cost of Project 500⁰⁰

Work Information:

Residential 1 Commercial - Industrial -

No. Units

New - Service Change X Rewiring - Additional Wiring -

Brief Description of Work: Change 60A Service to 100A Service

Size of proposed service entrance 100A Number of new circuits 0

Type of proposed service entrance - Underground - Overhead X

Require Temporary Electric NO (Yes or No)

Total Floor Area - Commercial and Industrial only - sq. ft.

Additional Information: -

*Ground fault circuit interrupter protection is required on all 120-volt single phase, 15 and 20 amp. Circuits which are part of a temporary electric service; and also on bathroom, outdoor, and garage receptacles in all dwelling units. Art. 220-8 N.E.C.

Application for permit shall be accompanied by two complete sets of plans including: Electrical layout and riser diagram. (For commercial and industrial work only).

ate 10-20-88

Applicant's Signature [Signature]

PERMIT NO. _____
PERMIT FEE \$ _____

